

MORAVEC F., BARUŠ V., RYŠAVÝ B., YOUSIF F., Observations on the development of two echinostomes, *Echinoparyphium recurvatum* and *Echinostoma revolutum*, the antagonists of human schistosomes in Egypt. *Folia parasit.* (Praha) 21: 107—126, 1974.

NASIR P., Further observations on the life cycle of *Echinostoma nudicaudatum* Nasir, 1960 (Echinostomatidae: Trematoda). *Proc. Helm. Soc. Wash.* 29: 115—127, 1962.

PORTRER A., The larval Trematoda found in certain South African Mollusca with special reference to schistosomiasis (bilharziasis). *Publ. S. Afr. Inst. med. Res.* 42 (8): 1—492, 1938.

RAŠÍN K., *Echinoparyphium recurvatum* (Linstow, 1873) a jeho vývoj. *Biol. spisy Vys. šk. zvěrolék.* (Brno) 12: 1—104, 1933.

RYŠAVÝ B., Research of schistosomiasis in Egypt. Report on the activities and results obtained by the Czechoslovak-Egyptian team in the period from April 1, 1971 till

March 23, 1972. Prague-Cairo, 1972 (unpublished).

—, ERGENS R., GROSCHAFT J., MORAVEC F., YOUSIF F., EL-HASSAN A. A., Preliminary report on the possibility of utilizing competition of larval schistosomes and other larval trematodes in the intermediate hosts for the biological control of schistosomiasis. *Folia parasit.* (Praha) 20: 293—296, 1973.

—, MORAVEC F., BARUŠ V., YOUSIF F., Some helminths of *Bulinus truncatus* and *Biomphalaria alexandrina* from the irrigation system near Cairo. *Folia parasit.* (Praha), 21: 97—105, 1974.

SEWELL R. B. S., Cercariae indicae. *Indian J. med. Res.* 10: 1—370, Suppl., 1922.

WESENBERG-LUND C., Contributions to the development of the trematode Digenea. Part II. The biology of freshwater cercariae in Danish freshwaters. *Mem. Aqad. Roy. Sci. Lett. Danmark, Copenhagen, Sec. Sci., Ser. 9,* 5: 1—223, 39 pl., 1934.

Received 18 October 1973.

F. M., Parasitologický ústav ČSAV,
Flemingovo nám. 2, 166 32 Praha 6,
ČSSR

FOLIA PARASITOLOGICA (PRAHA) 21: 141, 1974.

O. N. Vinogradskaya (Ed.): Rukovodstvo po borbe s nasekomymi i kleschchami — perenoschikami vozбудитеley bolezney cheloveka.
(*Manual on the control of insects and mites—vectors of human disease agents.*)
Publ. House Meditsina, Moscow, 248 pp., 31 Figs., 1972

The book is the result of a team work of 16 specialists, edited by Prof. Vinogradskaya. It is divided into 4 parts comprising 16 chapters. The first part (7 chapters) is devoted to Diptera and deals with malaric mosquitoes, non-malaric mosquitoes, black flies, midges, sand flies, horse flies and flies. The second part (2 chapters) is concerned with other groups of parasitic insects—lice and fleas. The third part (4 chapters) covers hard ticks, soft ticks, gamasoid mites and chigger mites. The concluding part (3 chapters) deals with the control of vectors, the apparatuses used and the organization of disinsection measures.

The chapters devoted to particular group of arthropods contain data on morphology, bionomy, geographic distribution of important species, medical importance, control methods and protection against attacks. Despite a rela-

tively small scope of the book the authors were able to compile basic data on arthropods as well as on their control as evidenced in practice. Unfortunately, the book abounds in misspellings of Latin names. Trombeae is not a superfamily (p. 8), trombiculosis is not a suitable name for a disease caused by mites of the family Trombiculidae (p. 187). Fig. 16B and 18 did not come out well in reproduction. These, however, are inaccuracies which do not affect the main contents of the book.

The manual is intended for a wide range of workers of various medical fields who are not specialists in medical entomology, for teachers and for all those who wish to gain knowledge on these problems. A suitable selection and arrangement of facts serves this purpose well.

Dr. V. Černý, C.Sc.